Approved For Release 2003/08/05 : CIA-RDP02T06408R000400010050-1

Top Secret



DIRECTORATE OF INTELLIGENCE

Imagery Analysis Report

Chemical Fertilizer Combine Suez, Egypt May 1967

Declass Review by NIMA/DOD

Top Secret

DDI/IAR 85017

DATE September 1967
PAGES 45

25X1

TOP SECRET
Approved For Release 2003/08/05 : CIA RDP02T06408R000400010050-1

25X1

September 1967

25X1

25X1

25X1

CHEMICAL FERTILIZER COMBINE, SUEZ, EGYPT

SUMMARY

This plant, completed prior to 1960, is currently undergoing a major expansion which will probably double its capacity.

This plant is primarily a producer of nitrogenous fertilizers, e.g., calcium nitrate, ammonium nitrate, and ammonium sulphate. As secondary products, the plant produces concentrated and dilute nitric acid, sulfuric acid, aqueous ammonie, and carbon dioxide, which are used in fertilizer production or can be shipped to other plants as feedstock materials.

Approved For Release 21000565.RGA RDP02T06408R000400010050-1

IMAGERY ANALYSIS SERVICE

25X1

25X1 25X1

25X1

CONTENTS

ummary	1
ntroduction	3
escriptions of Functional Areas	5
ther Facilities	5
able I. Chemical Fertilizer Combine, Suez, Egypt: Function/Description, Dimensions, Construction Status Lilustrations	7,8
igure 1. Location Map	3
igure 2. Chemical Fertilizer Combine,	14
igure 3. Chemical Fertilizer Combine,	6
igure 4. Composite Line Drawing	9
igure 5. Reform Furnaces 6-3, 4, View Looking Northeast	10
igure 6. Degasifying Tower F-2, View Looking North	10
igure 7. Fuel Tanks G-2, 6, 7, View Looking Northeast	10
Figure 8. Water tower E-3, Horton Spheres F-5, 6, View Looking Northwest	10
'igure 9. Nitric Acid Absorbers K-4, . View Looking Northwest	11
igure 10. Fertilizer Warehouse P-10, View Looking Southeast	11
Figure 11. Steam Turbine at Power Plant L-3	11
Tigure 12. Boilers at Power Plant L−3, View Looking Northwest	11

25X_f

25X1

TOP SECRET

Approved For Release 2003/08/05%-CIA-RDP02T06408R000400010050-1






FIGURE 1. LOCATION MAP

INTRODUCTION

This plant is carried in the Basic Encyclopedia as As Suways Chemical Plant SAE (29-56M 32-27E). The plant is located 5 nautical miles (mm) west-southwest of Suez on the west shore of the Gulf of Suez (Figure 1). The purpose of this study is to provide data on this installation so that the fertilizer production potential of Egypt may be more accurately estimated. The latest mission utilized for this report was

A composite line drawing (Figure 4) and selected ground photographs (Figures 5-12) are presented along with a discussion of the installation. Item numbers on the line drawing refer to Table I which gives the function/description, dimensions, roof cover and remarks regarding each item. The ground photos are keyed to the line drawing by area designator and item number.

All measurements have been made by CIA/IAS.

25X1

<u>___</u>25X1

PLANT AREA
25X1

TOP SECRET (

___5X1

MAGERY ANALYSIS SERVICE

DESCRIPTIONS OF FUNCTIONAL AREAS

Approved For Release 2003/08/05 - CIA RDP02T0 408R000400010050-1

For ease of discussion, the plant has been subdivided into functional areas designated A through Q as indicated on Figures 2 and 4.

Area A - Engineering/Open Storage

The facilities in this area include one engineering-type building, two secured unidentified buildings, and a large open storage area containing numerous stockpiles of material.

Area B - Administration/Support

This is the main administration and plant services area.

Area C - Gas Production

25X1

25X1

25X1

The facilities in this area produce hydrogen gas by reforming natural gas or refinery off-gas. The hydrogen is used in the ammonia plant (Area F) and will be used in the new ammonia plant (Area E) which is currently under construction. Items 6 and 12-16 were not part of the original plant but were added after

Area D - Nitric Acid Plant

This area consists of an air separation plant (Item 8) which separates air into oxygen and nitrogen. The nitrogen is used to produce ammonia, and the oxygen is used as an oxidizer of ammonia in the production of nitric acid. The acid is used in the production of calcium nitrate and ammonium nitrate. This plant was added after

Area E - Water Treatment Facility

This area contains two large spray ponds (Items 1 and 2) and a sanitary water tower (Item 3).

Area F - Ammonia Production Plant

This area contains a compressor/synthesis building (Item 1), a degasifying tower (Item 2), one ammonia storage building (Item 7), and two Horton spheres for aqueous ammonia storage (Items 5 and 6). The ammonia is used in production of ammonium nitrate and nitric acid. Area G - Fuel Storage

The area contains four fuel storage tanks (Items 1, 2, 6, and 7) used for controlling the amounts and types of fuel to various components within the installation.

Area H - Ammonia Production Plant Under Construction

This plant is in the late stages of construction. The significant features are the compressor/synthesis building (Item 4) and the Horton spheres (Items 7 and 8) which, when completed, will be used for storing aqueous ammonia. Item 9 is storage for refinery gas which could be used as feedstock for the reform furnaces in Area C.

Area I - Fuel Storage

This storage facility was probably constructed to serve the additional nitric acid plant and ammonia plant (Areas D and H).

Area J - Sulfuric Acid Plant (Contact Process)

This plant produces sulfuric acid which is used in the production of ammonium sulfate and concentrated nitric acid.

Area K - Nitric Acid Plant

This area contains an air separation plant, a large reactor building, and five banks of seven high-pressure nitric acid absorbers each. The nitric acid produced at this plant is used in the production of ammonlum and calcium nitrate.

Area L - Thermal Power Plant

This plant is the only source of power for the combine. Ground photographs of the steam turbines and boilers at this plant are shown on Figures 11 and 12.

Area M - Support Area

This area is the main engineering services area for the plant. It contains a welding shop, machine workshop, service station, and storage facilities.

Area N - Support/Open Storage

This area consists of a large probable vehicle maintenance building, an unidentified building under construction, and a large open storage area.

Area 0 - Ammonium Sulphate Production Plant Under Construction

This plant consists of a production/reactor building, a large fertilizer warehouse, and two unidentified buildings under construction.

Area P - Fertilizer Production and Shipping

This area consists of a calcium nitrate plant (Item 9), an ammonium nitrate plant (Item 17), two fertilizer warehouses, a bag production plant, and various associated components.

Area Q - Possible Research and Development

This area consists of one large possible R&D-type building and several associated unidentified buildings. There is no apparent physical connection between this facility and the fertilizer combine.

OTHER FACILITIES

A secured workers housing area is located immediately west of the chemical fertilizer combine. The area consists of 36 multistory apartment-type buildings and administrative, recreational, and social facilities.

The identifications of service facilities (police station, fire hose, service station, etc.) were made from captions on CIA ground photographs. In no case was there any reason to dispute these identifications on the basis of aerial photography.

TOP SECRET

Approved For Release 2003/08/05 : CIA-RDP02T06408R000400010050-1

--25X?




FIGURE 3. CHEMICAL FERTILIZER COMBINE, SUEZ EGYPT Approved For Release 2003/08/05 : CIA-RDP02T06408R000400010050-1

25X1 25X1

proved For Release 2003/08/05 CIA RDP02T06408R000400010050-1

IMAGERY ANALYSIS SERVICE

TABLE I

CHEMICAL FERTILIZER COMBINE, SUEZ, EGYPT

					Construction Status							Construction Status:	
					*Present 1960							*Present 1960	
Δ	rea Item No.	Function/ Description	Dimensions (Feet)	Roof Cover (Sq. Ft.)	#Present 1967	Remarks	Area	Ttom No	Function/ Description	Dimensions (Feet)	Roof Cover (Sq. Ft.)	#Present 1967 ¢U/C	Remarks
	10011101	Debelipolon	(1000)	(54. 10.7	¢u/C	TCHIGI KS	Area	I tem no.	Description	(1000)	(54. 10.7	1010	2102002 110
Α.	. Engineering,		200 150	h= 000	,,		Ε.	Water Treatm	ent Facility				
	1 2	Engineering Shop U/I Building	300 x 150 50 x 25	45,000 1,250	#								
	3	U/I Building	70 x 25	1,750	*			1	Spray Pond	275 x 200	55,000	*	
	14	Open Storage		***	#	Stockpiles of		2	Spray Pond Water Tower	225 x 200 35 (dia at	45,000	*	(a m 9)
						U/I Material			water Tower	top)		*	(See Figure 8)
В.	Administrat	ion/Support						14	Substation	35 x 30	1,050	*	
	1	Administration	150 x 70	10,500	*			5 6	U/I Building	50 x 25	1,250	*	
	2	Fire House	50 x 25	1,250	*			6	Pumphouse	145 x 50	7,250	*	
	3	U/I Support	180 x 20	3,600	*		R	Ammonia Prod	nation Plant				
	4 5	Locker Building Canteen	170 x 40	6,800	*		•••	1	Ammonia Synth-	340 x 190	64,600	*	
	6	Staff House	150 x 50 150 x 40	7,500 6,000	*				esis Building	5, .	,		
	7	Laboratory	85 x 40	3,400	*			2	Degasifying	50 x 35	1,750	*	(See Figure 6)
	8	Vehicle	90 x 35	3,150	*				Tower				
		Maintenance		3,-2-				3 h	Substation	120 x 25	3,000	*	
	9	U/I Support	30 x 25	750	*			4 5	Reagent Tanks (4)	FO (32-)		*	(a === 0)
	10	Police Station	70 x 35	750 2,450	*			6	Ammonia Storage Ammonia Storage	50 (dia,) 50 (dia,)		:	(See Figure 8) (See Figure 8)
	Gas Producti							7	Ammonia Storage	85 x 80	6,800	*	(See Figure 0)
U.	. Gas Producti	on Gas Holder	25 (dia.)		*		G. F	uel Storage		-,	•,•••		
	2	Gas Holder	90 (dia.)		*			1	Storage Tank	50 (dia.)		*	(See Figure 7)
	3	Reform Furnace)0 (d1da)		*	(See Figure 5)		2	Storage Tank	35 (dia.)	- 1	*	(See Figure 7)
	14	Reform Furnace			*	(Bot Library)		3	U/I Building	70 x 20	1,400	*	(See Figure 7) (See Figure 7)
	5	Reform Furnace			*	11		4 5	U/I Building	50 x 25 70 x 20	1,250 1,400	*	(See Figure 7)
	6	Reform Furnace			#	11		6	U/I Building Storage Tank	35 (dia.)	1,400	*	(See Figure 7)
	7	Compressor	70 x 45	3,150	*			7	Storage Tank	35 (dia.)		*	(See Figure 7)
	8	Building U/I Building	25 25	3 005	*			,	5002460 24444	22 (, ,
	9	Compressor	35 x 35 70 x 45	1,225 3,150	*		н. А	mmonia Produ	ction Plant U/C				
	,	Building	10 X 47	3,170				1	U/I Building	200 x 90	18,000	*	
	10	U/I Building	30 x 25	750	*			2	Cooling Pond	120 x 35	4,200	#	
	11	U/I Building	30 x 30	900	*			3 h	U/I Building Ammonia Synthesis	40 x 20	800 36,000	,,	
	12	U/I Building	60 x 25	1,500	#			4	Building U/C	200 X 150	30,000	₽	
	13	Gasholder	60 (dia)		#			5	U/I Building	90 x 30	2,700	#	
	14	U/I Building	40 x 40	1,600	#			6	Possible Cooling		2,850	¢	
	15	Cooling Tower	80 x 25	2,000	#	Induced Draft			Tower U/C				
	16	Gasholder	90 (dia.)		#			7	Ammonia Tank U/C			¢ ¢	
D.	Nitric Acid	Plent						8	Ammonia Tank U/C	50 (dia)		¢ *	
υ.	MIDITO ACIA	1 10110						9	Refinery Gas Storage Tanks (2)	210 x 10		-	
	1	Absorbers (6)			#			10	U/I Building	150 x 100	15,000	#	
	2	Reactor Building	120 x 45	5,400	#			20	o/I Dallaing		,		
	3	Processing			#		I. F	uel Storage					
	1.	Equipment			#			1	Pump House	30 x 30	900	#	
	14	Processing Equipment			Ħ			2	Storage Tanks (3)	50 (dia)		#	
	5	Oxidation	120 x 45	5,400	#								
	/	Building	4 ./	,,	"		J. S		Plant (Contact Pr Sulfur Stockpile	ocess)		#	
	6	Gasholder	60 (dia.)		#			1 2	Reactor Equip-	250 x 100	25,000	#	
	7	Gasholder	60 (dia)		#			_	ment	_,0 1 100	->,000		
	8	Air Separation	90 x 80	7,200	#			3	Reactor Equip-	30 x 30	900	#	
		Plant	100 60	6 000	4	Induced Draft			ment				
	9	Cooling Tower	100 x 60	6,000	Tr .	Induced Drait		14	Acid Storage Tank			#	
								5	Acid Storage Tank	835 (dia₄)		#	

25X	l1 I	
-0/	-	


TOP SECRET

25X1

Approved For Release 2003/08/05 : CIA-RDP02T06408R000400010050-1

TABLE I CONTINUED

Area	Item No.	Function/ Description	Dimensions (Feet)	Roof Cover	Construction Status: *Present 1960 #Present 1967 \$\overline{\psi} U/C		Area	Item No.	Function/ Description	Dimensions (Feet)	Roof Cover (Sq. Ft.)	Construction Status: *Present 1960 #Fresent 1967 & U/C	Remarks
							Q.	Ammonium Sulf	ate Production Plan	nt U/C			
ĸ.	Nitric Acid P							1	U/I Building	120 x 100	12,000	#	
	1	Cooling Tower	60 x 25	1,500	*	Induced Draft		2	Production Build-	200 ж бо	12,000	#	
	2	Pump House	35 x 20	7 00	*				ing				
	3	Substation	35 x 20	700	*			3	U/I Building U/C	500 x 100	50,000	ø	
	4	High Pressure			*	(See Figure 9)		14	Warehouse	400 x 100	40,000	¢	
		Absorbers 5 banks					ъ	Powtilinos D	roduction and Shipp	ina		,	
		of 7 each						recritizer ti	Dorr Clarifiers (*	
	5	Reactor Building	345 x 55	18,975	*			2	U/I Building	40 x 20	800		
	6	Air Separation	120 x 50	6,000	*			3	U/I Building	70 x 20	1,400	*	
		Facility						Įi O	Water Treatment	115 x 50		 ¥	
	7	Distillation						4	Water Treatment Plant	113 X 30	5,750		
		Columns			*			5	Reservoirs	235 x70	16,450	*	
	8	Acid Storage (2)	25 (dia,)		#			6		50 x 25	1,250	*	
	9	Pumphouse	30 x 20	600	*			7	Substation Cooling tower	65 x 50	3,250	*	Induced Draft
								8	Nitric Acid	20 (dia)	3,270	*	Induced Didie
L.	Thermal Power	Plant						0	Storage (4)	ZU (UIIA)			
	1	Fuel Storage	20 (dia)		*			9	Calcium Nitrate	160 x 70	11,200	*	
	2	Fuel Storage	15 (dia.)		#			9	Building	100 X 10	11,200		
	3	Generator Hall	140 x 95	13,300	*	(See Figures		10	Warehouse	500 x 85	42,500	*	(See Figure 10)
		Boilerhouse				11 & 12)		11	Bagging Plant	100 x 85	8,500	*	(see righte id)
	4	Substation	35 x 20	700	*			12	Bag-Matts Storage		9,000	*	
	5	Control House	40 x 40	1,600	*			13	Storage Tanks (2)		9,000	*	
		w/Transformer						14	U/I Building	40 x 30	1,200	4	
	6	Electrical Shop	100 x 60	6,000	#			15	U/I Building	50 x 30	1,500	π μ	
	7	Pumphouse	25 x 20	500	*			16	Storage Tanks(2)	25 (dia.)	1,,000	π #	
	8	Cooling Tower	100 x 60	6,000	*	Induced Draft		17	Ammonium Nitrate		4,800	π #	
								T.1	Building	00 x 00	4,000	"	
М.	Support Area							18	Crushing Building	35 v 35	1,225	ш	
	1	Welding Shop	70 x 50	3,500	*			19	U/I Building	100 x 30	3,000	<u>"</u>	
	2	Workshop	160 x 125	20,000	*			20	Warehouse	300 x 85	25,500	#	
	3	Storage	125 x 80	10,000	*			21	Bag Production	500 x 85	42,500	*	
	4	Guardhouse	70 x 20	1,400	*			2,1	Plant)00 x 0)	42,500		
	5	Open Storage Area		14,000	#		0	Pozniklo Poz	earch and Developme	nt			
	6	Service Station	100 x 50	5,000	#	Expanded between	of .	1	U/I Building	90 x 90	8,100	*	
						1960 and 1967		2	U/I Building	120 x 35	4,200	#	
								ร	Guardhouse	40 x 15	600	#	
N.	Support/Open							h	Guardhouse	40 x 15	600	#	
	1	Open Storage	_		#			5	R&D Building	550 x 210	115,500	*	
	2	Vehicle Mainten-	280 x 100	28,000	#			6	U/I Building	100 x 50	5,000	#	
		ance	_	_				7	U/I Building	70 x 20	1,400	#	
	3	U/I Building U/C	280 x 100	28,000	¢			'	-,	,	-,	*	



TOP SECRET

Approved For Release 2003/08/05 CHA-RDP02T06408R000400010050-1




FIGURE 5. REFORM FURNACES C-3,4, VIEW LOOKING NE




FIGURE 6. DEGASIFYING TOWER F-2, VIEW LOOKING N




FIGURE 7. FUEL TANKS G-2,67, VIEW LOOKING NE Approved For Release 2003/08/05 : C A EB TO TO TO TO THE TOWN A TOWN


25X1

TOP SECRET

TOP SECRET

Approved For Release 2003/08/05*: CIA-RDP02T06408R000400010050-1









FIGURE 11. STEAM TURBINE AT POWER PLANT L-3 VIEW LOOKING NW Approved For Release 2003/08/05 : CIA-RDP02T06408R000400010050-1



TOP SECRET

Approved For Release 2003/08/05: CIA	RDP02T06408R000400010050-	ı	
IMAGERY ANALYSIS	vennoc.		
REFERENC	ES		
Requirement			
C-RR7-84,199			
IAS Project			
30610-7			

-12-

Approved For Release 25050 8.56 RETA-RDP02T06408R000400010050-1

25X1

Top Secret

Approved For Release 2003/08/05 : CIA-RDP02T06408R000400010050-1

Top Secret